



Best for 30- 100mm depth light
boxes and channel letters

3 years warranty



AD4110-2835-3




Features:

- Powered by Sanan chip 2835 led
- Injection molding process
- 20pcs per series

Applications:

- Mini channel letters
- Small depth light boxes
- Recommended depth 3-10cm

Dimensions




Technical parameters


Item	Parameter	Unit
LED Type	SMD2835	--
LED Quantity	3	pcs
Power	0.72	W
Working Voltage	DC12	V
Working Current	60	mA
Luminous Flux	72	lm
Beam Angle	160	°
Driving mode	Constant Voltage	--
Dimension	41*10*9	mm
Color Temperature	2800-3200/6000-6500/9000-13000 /R/G/B/Y	k
Module's Center Dis.	131	mm
Concatenation	20	pcs
IP Rating	IP67	--
Working Temp.	-20~45	°C



Led module light distribution graph



Installation



- A. Max. number of modules in one chain when the power supplied from single end -20pcs
- B. Max. number of modules in one chain when the power supplied from both ends -100pcs

NOTE:

- Incorrect connection may cause short circuit and product failure
- Make sure power supply is unplugged during LED wires connection
- Power supply should be DC12V



Applications



Package

Item	Quantity per Carton(pcs)	Net Weight (kg)	Gross Weight (kg)	Carton Size(cm)
AD4110-2835-3	5000	25	27	44*39.5*36